



No.31 Longcheng Road, Shibe District, Qingdao, Shandong, China



Welcome To Qingdao Aluminum Co.,Ltd

01



# About us

Qingdao Aluminum Co.,Ltd.



# Company Profile

Qingdao Aluminum Co.,Ltd. is an excellent manufacturer and supplier engaged in high grade aluminium materials was established in 2008. We have a wide variety of high grade aluminium materials including aluminium plates, aluminium sheets, aluminium cold and hot rolled coils and strips, aluminium foils, aluminium checkered coils and sheets, and color coated aluminium sheets and coils, etc. Our products have been certified by SGS and other international standards with 100%. Our annual export volume is more than 1,000,000 tons. Developed many loyal customers in Europe, United States, Southeast Asia, Middle East , Africa, South America, etc.

Qingdao Aluminum Co.,Ltd. has the hot-rolling production line, and secondary aluminum process technical equipments including color coated aluminum production line, aluminum tread production line, and cutting and slitting production line. Our products are now widely used in the fields of construction, decoration, household goods, machinery machining and automotive part etc.

High quality is inseparable from strong quality control and inspection testing. All the products we offer are strictly in line with international standards. By introducing the domestic advanced level of equipments, shearing machine, imported turret CNC machine tool, fully automatic CNC bending machine, and other aluminum veneer production Equipment. Various standard and non-standard specifications are available according to customer requirements.



Tension Leveling



Lab Test



Hot Rolling Line



Hold Furnace Aluminum



Cold Rolling



Embossing Production



Packaging



Packaging

# Our Certifications

Qingdao Aluminum Co.,Ltd



Certificate No: 10921Q2116



**中国建材认证**  
China Building Material Certification

兹证明

**Qingdao Aluminum Co.,Ltd**  
No.31 Longcheng Road, Shibei District, Qingdao, Shandong, China  
Unified social credit code: 91370203MACATLTO8P

The established and implemented quality management system complies with GB/T 19001-2016/ISO 9001:2015

**Certification Scope:**  
Production and service of roller coating metal sheet and spray coating solid aluminum sheet

No.31 Longcheng Road, Shibei District, Qingdao, Shandong, China

Further clarification regarding the scope of this certificate and applicability of GB/T 19001-2016/ISO 9001:2015 requirements can be obtained by consulting with the factory or certification. During the validity period of the certificate of issue and its validity is maintained through annual surveillance. The information of certificate is available on the websites of Certification and Accreditation Administration of the People's Republic of China (www.cnca.gov.cn) or our certification body website (www.ctc.ac.cn).  
Address: Guanzhuang, Chaoyang District, Beijing 100024, P.R. China

Date of Issue: Nov. 15, 2021      Expired Date: Nov. 14, 2024  
Date of Renewal: \*\*\*\*\*

Signed by: [Signature]





中国认可  
国际互认  
管理体系  
MANAGEMENT SYSTEMS  
CERTIFICATION  
CNAS C109-M

Certificate AT20/328



The management system of

**Qingdao Aluminum Co.,Ltd**  
No.31 Longcheng Road, Shibei District, Qingdao, Shandong, China

has been assessed and certified as meeting the requirements of

**ISO 45001:2018**

For the following activities

**Manufacturing of aluminum plates , sheets, and coils**

This certificate is valid from 18 November 2020 until 27 June 2023 and remains valid subject to satisfactory surveillance audits. Re-certification audit due 60 days prior to expiry date. Issue 1. Certified since November 2020.

The organisation was previously certified against OHSAS 18001 since 4 July 2017. The audit leading to this certificate commenced on 4 May 2020. Previous issue certificate validity date was until 27 June 2020. SGS Ref: Q20/1023.01

Multiple certificates have been issued for this scope. The main certificate is numbered AT20/3280.00.

Authorised by: [Signature]

Accredited body  
SGS Société Générale de Surveillance SA, Certification and Business Enhancement  
Technoparkstrasse 1, 8025 Zurich, Switzerland  
T +41 (0)44 445-16-80 F +41 (0)44 445-16-88 www.sgs.com

Audit performed by  
SGS Austria Control-Ges GmbH, Grünbergstrasse 15, A-1130 Wien, Austria  
T +43 (0)1 512 25 67-0 F +43 (0)1 512 25 67-9 sgs.austria@sgs.com www.at.sgs.com



**Certification**

This document is issued by the Company subject to the General Conditions of Certification Services available at www.sgs.com/terms\_and\_conditions. Attention is drawn to the restriction of liability, indemnification and jurisdiction clauses established therein. The authenticity of this document may be verified at <http://www.sgs.com/certificates/verify> and [www.sgs.com/certificates/verify](http://www.sgs.com/certificates/verify). Any unauthorised alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number: MIC-ASR      Audit Date : 17 Mar., 2020

This report is issued by Focus Technology Co., Ltd. (Made-in-China.com) and the supervising inspectorate (Bureau Veritas) to confirm that

Company Name : Qingdao Aluminum Co.,Ltd  
青岛铝拓铝业有限公司

Address : No.31 Longcheng Road, Shibei District, Qingdao, Shandong, China

Product : Colour Coating Aluminum / Steel

has been on site audited for the Following Scope of Activity

1. General Information
2. Foreign Trade Capacity
3. Product Research & Development Capacity
4. Management System and Product Certification
5. Production Capacity & Quality Control
6. Working Environment
7. Energy Saving and Emission Reduction
8. Photos

General Comments:  
Qingdao Aluminum Co.,Ltd. is an excellent manufacturer and supplier engaged in high grade aluminium materials was established in 2008. We have a wide variety of high grade aluminium materials including aluminium plates, aluminium sheets, aluminium cold and hot rolled coils and strips, aluminium foils, aluminium checkered coils and sheets, and color coated aluminium sheets and coils, etc. Our products have been certified by SGS and other international standards with 100%. Our annual export volume is more than 1,000,000 tons. Developed many loyal customers in Europe, United States, Southeast Asia, Middle East , Africa, South America, etc.



Sign for and on behalf of Bureau Veritas



**Certification**

Page No. : 1 of 25



**CERTIFICATE**

**ATTESTATION**  
**CERTIFICATE OF RoHS COMPLIANCE**  
**DIRECTIVE 2011/65/EU**

Technical File of the company mentioned below has been inspected and assessment has been completed successfully. 2011/65/EU RoHS Compliance of Directive have been taken as references for these processes.

Company Name : Qingdao Aluminum Co., Ltd

Company Address : No. 31 Longcheng Road, Shibei District, Qingdao, Shandong, China

Related Directives and Annex : Directive 2011/65/EU Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment

Related Standards : EN IEC 63000:2018

Product Name : Aluminum Product

Report No and Date : JAT-CE2292-903

Product Brand/Model/Type : 1100, 1050, 1060, 3003, 3004, 5052, 5754, 5083, 6061, 6082, 8011, 8021, 8079

Certificate Number : M.2022.206.C

Initial Assessment Date : 17.11.2022

Registration Date : 18.11.2022

Reissue Date/No : 17.11.2027

Expiry Date : 17.11.2027

RoHS Compliant



**Certification**

The validity of the certificate can be checked through [www.udem.com.tr](http://www.udem.com.tr). This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc., Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. The certificate only covers the product(s) stated above and UDEM must be notified in case of any changes on the products.

Address: Muratlıtepe Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya - Ankara - TURKEY  
Phone: +90 312 443 03 90 Fax: +90 312 443 03 76  
E-mail: [info@udem.com.tr](mailto:info@udem.com.tr) [www.udem.com.tr](http://www.udem.com.tr)



# Our Services



## Factory Direct Delivery

Enough stock in our factory, the shipment will be arranged within 3 days, the highly customized steel materials which need to be produced will take 3-10 work days . Our production capacity is more than 8000 tons per month.

## China Reliable Supplier

Our products have been certified by ISO, TUV, and SGS, and each product comes with a warranty certificate. In addition, we also accept third-party inspections.

## We Are Here For You

Once you submit your inquiry, our professional sales managers will reply you within 12 hours and give you a satisfactory quotation soon, including at weekends. We are at your service.

## Free sample

We can provide a free sample. Our company has complete steel specifications and types. If you are interested in the sample and want to cooperate further, please contact us ASAP.

## Video Inspection Plant

We accept the video inspection, We have professional factory personnel who will guide you to inspect our factory. Welcome to visit our factory and get more.

## Customization

Our customized processing services including laser cutting, bending, welding, punching, polishing, size, packaging and surface treatment, and we providing one-stop service for cutting, forming and surface processing.

02



# Our Products

Various standard and non-standard specifications are available according to customer requirements.



# Aluminium / Aluminum Sheet


Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF

OEM/ODM, Design Service Offered

Certificate: ISO, SGS, BUV, etc

We accept the video inspection, and also welcome to visit our factory and get more.






# Aluminium/ Aluminum Sheet



Model	Aluminum/Aluminium Sheet
Standard	GB/T3190-2008, GB/T3880-2006 , ASTM B209, JIS H4000-2006, etc
Size	Thickness: 1mm -6mm Width: 100-2000mm Length:2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hair line, brush, sand blast, checkered, embossed, etching, etc
Coating	Polyester, Fluorocarbon, polyurethane and epoxy coating
Trade terms	Price term : Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Delivery Time	Within 3 days for our stock size, 7-15days for our production
Services	Perforated, Cutting special size, Doing flatness, Surface treatment, etc
Quality of Material	Totally free from defects like white rust, roll marks, edge damage, camber, dents, holes, break lines, scratches and free from coil set.
Application	1)Further making utensil. 2)Solar reflective film 3)The appearance of the building 4)Interior decorating: ceilings, walls, etc. 5)Furniture cabinets 6)Elevator decoration 7)Signs, nameplate, bags making. 8)Decorated inside and outside the car 9)Household appliances: refrigerators, microwave ovens, audio equipment, etc. 10)The consumer electronics: mobile phones, digital cameras, MP3, U disk, etc.



# Aluminium/ Aluminum Sheet



Grade	Chemical composition table %										
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Zr	Al
1060	0.250	0.350	0.050	0.030	0.030	—	—	0.050	0.030	—	99.60
1050	0.250	0.400	0.050	0.050	0.050	—	—	0.050	0.030	—	99.50
1350	0.100	0.400	0.050	0.010	—	0.010	—	0.050	—	—	99.50
1100	Si+Fe:0.95		0.05-0.2	0.050	—	—	—	0.100	—	—	99.00
2219	0.200	0.300	5.8-6.8	0.20-0.40	0.020	—	—	0.100	0.20-0.10	0.10-0.25	rem
2024	0.500	0.500	3.8-4.9	0.30-0.9	1.2-1.8	0.100	—	0.250	0.150	—	rem
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	—	0.100	—	—	rem
3004	0.300	0.700	0.250	1.0-1.5	0.8-1.3	—	—	0.250	—	—	rem
5052	0.250	0.400	0.100	0.100	2.2-2.8	0.15-0.35	—	0.100	—	—	rem
5454	0.250	0.400	0.100	0.50-1.0	2.4-3.0	0.05-0.2	—	0.250	0.200	—	rem
5754	0.400	0.400	0.100	0.500	2.6-3.6	0.300	—	0.200	0.150	—	rem
5456	0.250	0.400	0.100	0.50-1.0	4.7-5.5	0.05-0.20	—	0.250	0.200	—	rem
5083	0.400	0.400	0.100	0.40-1.0	4.0-4.9	0.05-0.25	—	0.250	0.150	—	rem
5086	0.400	0.500	0.100	0.20-0.7	3.5-4.5	0.05-0.25	—	0.250	0.150	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	—	0.250	0.150	—	rem
6063	0.20-0.6	0.350	0.100	0.100	0.45-0.9	0.100	—	0.100	0.100	—	rem
6082	0.7-1.3	0.500	0.100	0.40-1.0	0.6-1.2	0.250	—	0.200	0.100	—	rem
7050	0.120	0.150	2.0-2.6	0.100	1.9-2.6	0.040	—	5.7-6.7	0.060	0.08-0.15	rem

## Material Grades We Supply:

- Hot Sales: 1060, 1100, 2024, 3003, 3004, 3105, 4043, 4047, 5005, 5051, 5052, 5053, 5056, 5058, 5251, 5454, 5754, 6061, 6063, 6082, 6101, 7075
- 1000 Series: 1060, 1050, 1100, 1070
- 2000 Series: 2024, 2A12, 2017, 2014, 2A11, 2A14
- 3000 Series: 3003, 3004, 3105, 3104, 3A21, 3005, 3M03
- 5000 Series: 5052, 5083, 5182, 5754, 5A03, 5454, 5A06, 5005, 5252, 5086, 5A02, 5A05, 5052A, 5059, 5052B, 5M52, 5M49
- 6000 Series: 6061, 6063, 6082, 6005, 6101, 6060, 6005A
- 7000 Series: 7075, 7005, 7050, 7A09, 7A04

Contact us for your project!

Chemical composition table

# Aluminium/ Aluminum Plate




Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF

OEM/ODM, Design Service Offered

Certificate: ISO, SGS, BUV, etc


We accept the video inspection, and also welcome to visit our factory and get more.



# Aluminium/ Aluminum Plate



Model	Aluminum/Aluminium Plate
Standard	GB/T3190-2008, GB/T3880-2006 , ASTM B209, JIS H4000-2006, etc
Size	Thickness: 8mm - 80mm Width: 100-2000mm Length: 2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hair line, brush, sand blast, checkered, embossed, etching, etc
Certificate	ISO, SGS, BUV
Delivery Time	Within 3 days for our stock size, 7-15days for our production
Trade terms	Price term : Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Quality of Material	Totally free from defects like white rust, roll marks, edge damage, camber, dents, holes, break lines, scratches and free from coil set.
MOQ	1 TON
Application	Construction field, Ships building industry, Decoration, Industry, Manufacture, Machinery and hardware fields, etc



# Aluminium/ Aluminum Plate



Grade	Chemical composition table %										
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Zr	Al
1060	0.250	0.350	0.050	0.030	0.030	—	—	0.050	0.030	—	99.60
1050	0.250	0.400	0.050	0.050	0.050	—	—	0.050	0.030	—	99.50
1350	0.100	0.400	0.050	0.010	—	0.010	—	0.050	—	—	99.50
1100	Si+Fe:0.95		0.05-0.2	0.050	—	—	—	0.100	—	—	99.00
2219	0.200	0.300	5.8-6.8	0.20-0.40	0.020	—	—	0.100	0.20-0.10	0.10-0.25	rem
2024	0.500	0.500	3.8-4.9	0.30-0.9	1.2-1.8	0.100	—	0.250	0.150	—	rem
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	—	0.100	—	—	rem
3004	0.300	0.700	0.250	1.0-1.5	0.8-1.3	—	—	0.250	—	—	rem
5052	0.250	0.400	0.100	0.100	2.2-2.8	0.15-0.35	—	0.100	—	—	rem
5454	0.250	0.400	0.100	0.50-1.0	2.4-3.0	0.05-0.2	—	0.250	0.200	—	rem
5754	0.400	0.400	0.100	0.500	2.6-3.6	0.300	—	0.200	0.150	—	rem
5456	0.250	0.400	0.100	0.50-1.0	4.7-5.5	0.05-0.20	—	0.250	0.200	—	rem
5083	0.400	0.400	0.100	0.40-1.0	4.0-4.9	0.05-0.25	—	0.250	0.150	—	rem
5086	0.400	0.500	0.100	0.20-0.7	3.5-4.5	0.05-0.25	—	0.250	0.150	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	—	0.250	0.150	—	rem
6063	0.20-0.6	0.350	0.100	0.100	0.45-0.9	0.100	—	0.100	0.100	—	rem
6082	0.7-1.3	0.500	0.100	0.40-1.0	0.6-1.2	0.250	—	0.200	0.100	—	rem
7050	0.120	0.150	2.0-2.6	0.100	1.9-2.6	0.040	—	5.7-6.7	0.060	0.08-0.15	rem

Chemical composition table

## Material Grades We Supply:

- Hot Sales: 1050, 1060, 1100, 1350, 2024, 2219, 3003, 3004, 4043, 5052, 5083, 5086, 5454, 5456, 5754, 6013, 6061, 6063, 6082, 7039, 7050, 7068
- 1000 Series: 1060, 1050, 1100, 1070,
- 2000 Series: 2024, 2A12, 2017, 2014, 2A11, 2A14,
- 3000 Series: 3003, 3004, 3105, 3104, 3A21, 3005, 3M03,
- 5000 Series: 5052, 5083, 5182, 5754, 5A03, 5454, 5A06, 5005, 5252, 5086, 5A02, 5A05, 5052A, 5059, 5052B, 5M52, 5M49,
- 6000 Series: 6061, 6063, 6082, 6005, 6101, 6060, 6005A,
- 7000 Series: 7075, 7005, 7050, 7A09, 7A04,

Contact us for your project!

# Aluminium/ Aluminum Hot Rolled Coil



Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF  
OEM/ODM, Design Service Offered  
Certificate: ISO, SGS, BUV, etc

We accept the video inspection, and also welcome to visit our  
factory and get more.



# Aluminium/ Aluminum Hot Rolled Coil



Model	Aluminum/Aluminium Hot Rolled Coil
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Size	Thickness: 8mm Width: 10mm-1000mm Length: 2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hair line, brush, sand blast, checkered, embossed, etching, etc
Certificate	ISO, SGS, BUV
Delivery Time	Within 3 days for our stock size, 7-15 days for our production
Trade terms	Price term: Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Quality of Material	Totally free from defects like white rust, roll marks, edge damage, camber, dents, holes, break lines, scratches and free from coil set.
MOQ	1 TON
Application	<ol style="list-style-type: none"> <li>1) Further making utensil.</li> <li>2) Solar reflective film</li> <li>3) The appearance of the building</li> <li>4) Interior decorating: ceilings, walls, etc.</li> <li>5) Furniture cabinets</li> <li>6) Elevator decoration</li> <li>7) Signs, nameplate, bags making.</li> <li>8) Decorated inside and outside the car</li> <li>9) Household appliances: refrigerators, microwave ovens, audio equipment, etc.</li> <li>10) The consumer electronics: mobile phones, digital cameras, MP3, U disk, etc.</li> </ol>





Grade	Chemical composition table %									
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Al
1060	0.250	0.350	0.050	0.030	0.030	—	—	0.050	0.030	99.60
1100	Si+Fe:0.95		0.05-0.2	0.050	—	—	—	0.100	—	99.00
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	—	0.100	—	rem
3105	0.600	0.700	0.300	0.30-0.8	0.20-0.8	0.200	—	0.400	0.100	rem
5052	0.250	0.400	0.100	0.100	2.2-2.8	0.15-0.35	—	0.100	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	—	0.250	0.150	rem

Chemical composition table

## Material Grades We Supply:

- Hot Sales: 1100, 1060, 3105, 3003, 5052, 6061
- 1000 Series: 1060, 1050
- 3000 Series: 3105, 3104, 3004, 3003
- 5000 Series: 5754, 5083, 5052
- 6000 Series: 6061

*Contact us for your project!*



# Aluminium/ Aluminum Cold Rolled Coil

Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF  
OEM/ODM, Design Service Offered  
Certificate: ISO, SGS, BUV, etc


We accept the video inspection, and also welcome to visit our  
factory and get more.



# Aluminium/ Aluminum Cold Rolled Coil



Model	Aluminium/ Aluminum Cold Rolled Coil
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Size	Thickness: 8mm Width: 10mm-1000mm Length: 2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hair line, brush, sand blast, checkered, embossed, etching, etc
Certificate	ISO, SGS, BUV
Delivery Time	Within 3 days for our stock size, 7-15 days for our production
Trade terms	Price term: Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Quality of Material	Totally free from defects like white rust, roll marks, edge damage, camber, dents, holes, break lines, scratches and free from coil set.
MOQ	1 TON
Application	<ol style="list-style-type: none"> <li>1) Further making utensil.</li> <li>2) Solar reflective film</li> <li>3) The appearance of the building</li> <li>4) Interior decorating: ceilings, walls, etc.</li> <li>5) Furniture cabinets</li> <li>6) Elevator decoration</li> <li>7) Signs, nameplate, bags making.</li> <li>8) Decorated inside and outside the car</li> <li>9) Household appliances: refrigerators, microwave ovens, audio equipment, etc.</li> <li>10) The consumer electronics: mobile phones, digital cameras, MP3, U disk, etc.</li> </ol>





Grade	Chemical composition table %									
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Al
1060	0.250	0.350	0.050	0.030	0.030	—	—	0.050	0.030	99.60
1100	Si+Fe:0.95		0.05-0.2	0.050	—	—	—	0.100	—	99.00
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	—	0.100	—	rem
3105	0.600	0.700	0.300	0.30-0.8	0.20-0.8	0.200	—	0.400	0.100	rem
5052	0.250	0.400	0.100	0.100	2.2-2.8	0.15-0.35	—	0.100	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	—	0.250	0.150	rem

Chemical composition table

## Material Grades We Supply:

- Hot Sales: 1100, 1060, 3105, 3003, 5052, 6061
- 1000 Series: 1060, 1050
- 3000 Series: 3105, 3104, 3004, 3003
- 5000 Series: 5754, 5083, 5052
- 6000 Series: 6061


*Contact us for your project!*

# Aluminium/ Aluminum Strip

Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF  
OEM/ODM, Design Service Offered  
Certificate: ISO, SGS, BUV, etc

We accept the video inspection, and also welcome to visit our  
factory and get more.



# Aluminium/ Aluminum Strip



Model	Aluminum/Aluminium Strip
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Material Grade	Hot Sales: 1100, 1060, 3105, 3003, 5052, 6061 1000 Series: 1060, 1050 3000 Series: 3105, 3104, 3004, 3003 5000 Series: 5754, 5083, 5052 6000 Series: 6061
Size	Thickness: 8mm Width: 10mm-1000mm Length: 2000mm, 2440mm, 6000mm, or as required.
Production Process	Hot rolled or cold rolled.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hairline, brush, sandblasted, checkered, embossed, etched, etc., rolled surface finish, no stains, no rough edges.
Certificate	ISO, SGS, BUV
Delivery Time	Within 3 days for our stock size, 7-15 days for our production
Trade terms	Price term: Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Quality of Material	Totally free from defects like white rust, roll marks, edge damage, camber, dents, holes, break lines, scratches and free from coil set.
MOQ	1 TON
Application	1) Further making utensil. 2) Solar reflective film 3) The appearance of the building 4) Interior decorating: ceilings, walls, etc. 5) Furniture cabinets 6) Elevator decoration 7) Signs, nameplate, bags making. 8) Decorated inside and outside the car 9) Household appliances: refrigerators, microwave ovens, audio equipment, etc. 10) The consumer electronics: mobile phones, digital cameras, MP3, U disk, etc.





Grade	Chemical composition table %									
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Al
1060	0.250	0.350	0.050	0.030	0.030	—	—	0.050	0.030	99.60
1100	Si+Fe:0.95		0.05-0.2	0.050	—	—	—	0.100	—	99.00
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	—	0.100	—	rem
3105	0.600	0.700	0.300	0.30-0.8	0.20-0.8	0.200	—	0.400	0.100	rem
5052	0.250	0.400	0.100	0.100	2.2-2.8	0.15-0.35	—	0.100	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	—	0.250	0.150	rem

Chemical composition table

## Material Grades We Supply:

- Hot Sales: 1100, 1060, 3105, 3003, 5052, 6061
- 1000 Series: 1060, 1050
- 3000 Series: 3105, 3104, 3004, 3003
- 5000 Series: 5754, 5083, 5052
- 6000 Series: 6061

*Contact us for your project!*


# Aluminium/ Aluminum Checkered Coil



Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF  
OEM/ODM, Design Service Offered  
Certificate: ISO, SGS, BUV, etc


We accept the video inspection, and also welcome to visit our  
factory and get more.



# Aluminium/ Aluminum Checkered Coil



Model	Aluminium/ Aluminum Checkered Coil
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Size	Thickness: 8mm Width: 10mm-1000mm Length:2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hairline, brush, sandblasted, checkered, embossed, etched, etc., rolled surface finish, no stains, no rough edges.
Type options	diamond checkered coil, T6 diamond checkered coil, small five bar checkered coil, five bar checkered coil, big five bar checkered coil, five bar checkered coil, Tread coil
Color options	RAL Color System or as per buyer's color sample.
Delivery Time	Within 3 days for our stock size, 7-15days for our production
Trade terms	Price term: Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Application	Loading Ramps, Stair Tread, Flooring, Dock Plate, Dock Board, Decorative purposes, Fire Trucks, Ambulances, Recreational Vehicles, Catwalks, Walkways, Truck bed, Trailer floors, etc





# Aluminium/ Aluminum Checkered Coil



Grade	Chemical composition table %								
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	0.100	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	0.250	0.150	rem
4A17	11.0~12.5	0.5	Cu+Zn0.1 5	0.5	0.05	Ca0.10	-	0.15	rem

## Material Grades We Supply:

- Hot Sales: 3003, 4A17, 6061
- 1000 Series: 1060, 1050, 1100, 1070
- 2000 Series: 2024, 2A12, 2017, 2014, 2A11, 2A14
- 3000 Series: 3003, 3004, 3105, 3104, 3A21, 3005, 3M03
- 5000 Series: 5052, 5083, 5182, 5754, 5A03, 5454, 5A06, 5005, 5252, 5086, 5A02, 5A05, 5052A, 5059, 5052B, 5M52, 5M49
- 6000 Series: 6061, 6063, 6082, 6005, 6101, 6060, 6005A
- 7000 Series: 7075, 7005, 7050, 7A09, 7A04

Chemical composition table

## Type Options

Contact us for your project!



# Aluminium/Aluminum Checkered Plate



Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF  
OEM/ODM, Design Service Offered  
Certificate: ISO, SGS, BUV, etc


We accept the video inspection, and also welcome to visit our  
factory and get more.



# Aluminium/Aluminum Checkered Plate



Model	Aluminium/ Aluminum Checkered Coil
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Size	Thickness: 8mm Width: 10mm-1000mm Length:2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hairline, brush, sandblasted, checkered, embossed, etched, etc., rolled surface finish, no stains, no rough edges.
Type options	diamond checkered coil, T6 diamond checkered coil, small five bar checkered coil, five bar checkered coil, big five bar checkered coil, five bar checkered coil, Tread coil
Color options	RAL Color System or as per buyer's color sample.
Delivery Time	Within 3 days for our stock size, 7-15days for our production
Trade terms	Price term: Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Application	Loading Ramps, Stair Tread, Flooring, Dock Plate, Dock Board, Decorative purposes, Fire Trucks, Ambulances, Recreational Vehicles, Catwalks, Walkways, Truck bed, Trailer floors, etc



# Aluminium/Aluminum Checkered Plate



Grade	Chemical composition table %								
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	0.100	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	0.250	0.150	rem
4A17	11.0~12.5	0.5	Cu+Zn0.15	0.5	0.05	Ca0.10	-	0.15	rem


Chemical composition table

## Material Grades We Supply:

- Hot Sales: 3003, 4A17, 6061
- 1000 Series: 1060, 1050, 1100, 1070
- 2000 Series: 2024, 2A12, 2017, 2014, 2A11, 2A14
- 3000 Series: 3003, 3004, 3105, 3104, 3A21, 3005, 3M03
- 5000 Series: 5052, 5083, 5182, 5754, 5A03, 5454, 5A06, 5005, 5252, 5086, 5A02, 5A05, 5052A, 5059, 5052B, 5M52, 5M49
- 6000 Series: 6061, 6063, 6082, 6005, 6101, 6060, 6005A
- 7000 Series: 7075, 7005, 7050, 7A09, 7A04

## Type Options

Contact us for your project!



# Aluminium/ Aluminum Foil


Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF

OEM/ODM, Design Service Offered

Certificate: ISO, SGS, BUV, etc


We accept the video inspection, and also welcome to visit our factory and get more.



# Aluminium/ Aluminum Foil



Model	Aluminium/ Aluminum Foil
Thickness	0.008mm (8 micron) – 0.2mm (20 micron)
Width and tolerance	100-1700 mm (tolerance: $\pm 1.0$ mm)
Weight	80 – 250kg per roll coil (or customized)
Surface	one side matte, one side bright
Surface quality	1. Free of black spot, line mark, creases, wrinkles, etc...
	2. Rell: no air packet, no bumps, etc
Core material	Steel / aluminum / paper
Core ID	76mm, 152mm ( $\pm 0.5$ mm)
Tensile Strength(Mpa)	45-110MPa (according to thickness)
Elongation %	$\geq 1\%$
Surface wetting tension	$\geq 32$ dyne
Quality of Material	Totally free from defects like white rust,roll marks,edge damage,camber,dents,holes,break lines,scratches and free from coil set.
Application	Used in cooking, freezing, baking, etc food packaging; Widely used as aluminum-plastic composite panel baseband.Material of air conditioner foil





Chemical composition table %

Grade	Si	Fe	Sn	Cu	Mn	Zn	Al	Ti	Cr	Mg
8081	0.7	0.7	18-22	0.7-1.3	0.1	0.05	rem			
8011	0.50 - 0.90	0.60 - 1	-	≤ 0.10	≤ 0.20	≤ 0.10	97.3 - 98.9	≤ 0.080	≤ 0.050	≤ 0.050
3003	0.600	0.700	—	0.05-0.20	1.0-1.5	0.100	rem	—	—	—
3004	0.300	0.700	—	0.250	1.0-1.5	0.250	rem	—	—	0.8-1.3

Chemical composition table

## Material Grades We Supply:

- Hot Sales: 8081, 8011, 3003, 3004
- 
- 1000 Series: 1050, 1100, 1070, 1235, 1060
- 3000 Series: 3004, 3003
- 5000 Series: 5052
- 8000 Series: 8006, 8079, 8021, 8011

*Contact us for your project!*

# Aluminium/Aluminum Color Coated Coil

Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF

OEM/ODM, Design Service Offered

Certificate: ISO, SGS, BUV, etc

We accept the video inspection, and also welcome to visit our factory and get more.






# Aluminium/Aluminum Color Coated Coil



Model	Color Coated Aluminium/Aluminum Coil / Strip
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Size	Thickness: 8mm Width: 10mm-1000mm Length: 2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Bright, polished, hairline, brush, sandblasted, checkered, embossed, etched, etc., rolled surface finish, no stains, no rough edges.
Certificate	ISO, SGS, BUV
Delivery Time	Within 3 days for our stock size, 7-15 days for our production
Trade terms	Price term: Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Quality of Material	Totally free from defects like white rust, roll marks, edge damage, camber, dents, holes, break lines, scratches and free from coil set.
MOQ	1 TON
Application	1) Further making utensil. 2) Solar reflective film 3) The appearance of the building 4) Interior decorating: ceilings, walls, etc. 5) Furniture cabinets 6) Elevator decoration 7) Signs, nameplate, bags making. 8) Decorated inside and outside the car 9) Household appliances: refrigerators, microwave ovens, audio equipment, etc. 10) The consumer electronics: mobile phones, digital cameras, MP3, U disk, etc.



# Aluminium/Aluminum Color Coated Coil



Grade	Chemical composition table %									
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Al
1060	0.250	0.350	0.050	0.030	0.030	—	—	0.050	0.030	99.60
1100	Si+Fe:0.95		0.05-0.2	0.050	—	—	—	0.100	—	99.00
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	—	0.100	—	rem
3105	0.600	0.700	0.300	0.30-0.8	0.20-0.8	0.200	—	0.400	0.100	rem
5052	0.250	0.400	0.100	0.100	2.2-2.8	0.15-0.35	—	0.100	—	rem
6061	0.40-0.8	0.700	0.15-0.40	0.150	0.8-1.2	0.04-0.35	—	0.250	0.150	rem

Chemical composition table

## Type Options



## Material Grades We Supply:

- Hot Sales: 1100, 1060, 3105, 3003, 5052, 6061
- 1000 Series: 1060, 1050
- 3000 Series: 3105, 3104, 3004, 3003
- 5000 Series: 5754, 5083, 5052
- 6000 Series: 6061

## COLOR REFERENCE MAP

Color reference is based on lauer color card RAL. The following colors are for reference only. Due to limited space, not all of them are listed.

ral 1000 Green beige 米绿色	ral 1001 Beige 米色	ral 1002 Sand yellow 沙黄色	ral 1003 Signal yellow 信号黄	ral 1004 Golden yellow 金黄色	ral 1005 Honey yellow 蜜黄色	ral 1006 Maize yellow 玉米黄
ral 1011 Brown beige 米褐色	ral 1012 Lemon yellow 柠檬黄	ral 1013 Oyster white 近于白色的浅灰	ral 1014 Ivory 象牙色	ral 1015 Light ivory 亮象牙色	ral 1016 Sulfur yellow 硫磺色	ral 1017 Saffron yellow 深黄色
ral 1019 Gray beige 米灰色	ral 1020 Olive yellow 橄榄黄	ral 1021 Rape yellow 油菜黄	ral 1023 Traffic yellow 交通黄	ral 1024 Ochre yellow 赭黄色	ral 1027 Curry 咖喱色	ral 1028 Melon yellow 浅橙黄
ral 1033 Dahlia yellow 大丽花黄	ral 1034 Pastel yellow 粉黄色	ral 2000 Yellow orange 黄橙色	ral 2001 Red orange 橘红	ral 2002 Vermilion 朱红	ral 2003 Pastel orange 淡橙	ral 2004 Pure orange 纯橙
ral 2009 Traffic orange 交通橙	ral 2010 Signal orange 信号橙	ral 2011 Deep orange 深橙色	ral 2012 Salmon orange 鲑鱼橙	ral 3000 Flame red 火焰红	ral 3001 Signal red 信号红	ral 3002 Carmine red 胭脂红
ral 3004 Purple red 紫红色	ral 3005 Wine red 葡萄酒红	ral 3007 Black red 黑红	ral 3009 Oxide red 氧化红	ral 3011 Brown red 红玄武土色	ral 3012 Beige red 米红色	ral 3013 Tomato red 番茄红
ral 3015 Light Pink 淡粉红色	ral 3016 Coral red 珊瑚红色	ral 3017 Rose 玫瑰色	ral 3018 Strawberry red 草莓红	ral 3020 Traffic red 交通红	ral 3022 Salmon pink 鲑鱼粉红色	ral 3027 Raspberry red 悬钩子红色
ral 4001 Red lilac 丁香红	ral 4002 Red violet 紫红色	ral 4003 Heather violet 石南紫	ral 4004 Claret violet 酒红紫	ral 4005 Blue lilac 丁香蓝	ral 4006 Traffic purple 交通紫	ral 4007 Purple violet 紫红蓝色
ral 4009 Pastel violet 淡紫蓝色	ral 5000 Violet blue 紫蓝色	ral 5001 Green blue 蓝绿色	ral 5002 Ultramarine blue 群青蓝	ral 5003 Sapphire blue 蓝宝石蓝	ral 5004 Black blue 黑蓝色	ral 5005 Signal blue 信号蓝
ral 5008 Gray blue 灰蓝色	ral 5009 Azure blue 天青蓝	ral 5010 Gentian blue 龙胆蓝色	ral 5011 Steel blue 钢蓝色	ral 5012 Light blue 淡蓝色	ral 5013 Cobalt blue 钴蓝色	ral 5014 Pigeon blue 鸽蓝色
ral 5017 Traffic blue 交通蓝	ral 5018 Turquoise blue 绿松石蓝	ral 5019 Capri blue 卡布里蓝色	ral 5020 Ocean blue 海蓝色	ral 5021 Water blue 不莱梅蓝色	ral 5022 Night blue 夜蓝色	ral 5023 Distant blue 冷蓝色
ral 6000 Patina green 铜锈绿色	ral 6001 Emerald green 翡翠绿色	ral 6002 Leaf green 叶绿色	ral 6003 Olive green 橄榄绿	ral 6004 Blue green 蓝绿色	ral 6005 Moss green 苔藓绿	ral 6006 Gray olive 橄榄灰绿
ral 6006 Gray olive 橄榄灰绿	ral 6009 Fir green 冷杉绿	ral 6010 Grass green 草绿色	ral 6011 Reseda green 淡橄榄绿	ral 6012 Black green 墨绿色	ral 6013 Reed green 芦苇绿	ral 6014 Yellow olive 黄橄榄
ral 6016 Turquoise green 绿松石绿色	ral 6017 May green 五月绿	ral 6018 Yellow green 黄绿色	ral 6019 Pastel green 粉绿色	ral 6020 Chrome green 铬绿色	ral 6021 Pale green 浅绿色	ral 6022 Olive drab 橄榄土褐色
ral 6025 Fern green 蕨绿	ral 6026 Opal green 蛋白石绿色	ral 6027 Light green 葱绿色	ral 6028 Pine green 松绿色	ral 6029 Mint green 薄荷绿	ral 6032 Signal green 信号绿	ral 6033 Mint turquoise 薄荷绿蓝色
ral 7000 Squirrel grey 松鼠灰	ral 7001 Silver grey 银灰色	ral 7002 Light green 橄榄灰绿色	ral 7003 Moss grey 苔灰	ral 7004 Signal grey 信号灰	ral 7005 Mouse grey 鼠灰色	ral 7006 Beige grey 米灰色
ral 7021 Black grey 黑灰	ral 7022 Umbr grey 暗灰	ral 7023 Concrete grey 混凝土灰	ral 7024 Graphite grey 石墨灰	ral 7026 Granite grey 花岗岩灰	ral 7030 Stone grey 石灰色	ral 7031 blue grey 蓝灰色
ral 7042 Traffic grey A 交通灰A	ral 7043 Traffic grey B 交通灰B	ral 7044 Silk grey 深棕灰色	ral 8000 Green brown 绿褐色	ral 8001 Ochre brown 赭石棕色	ral 8002 Signal brown 信号褐	ral 8003 Clay brown 土褐色
ral 8007 Fawn brown 鹿褐色	ral 8008 Olive brown 橄榄棕色	ral 8011 Nut brown 深棕色	ral 8012 Red brown 红褐色	ral 8014 Sepia brown 乌贼棕色	ral 8015 Chestnut brown 栗棕色	ral 8016 Mahogany brown 桃花心木褐
ral 8019 Grey brown 灰褐色	ral 8022 Black brown 黑褐色	ral 8023 Orange brown 桔黄褐	ral 8024 Beige brown 啡叭棕色	ral 8028 Terra brown 浅灰褐色	ral 9001 Cream 彩黄色	ral 9002 Greyy white 灰白色

Contact us for your project!

# Aluminium/Aluminum Color Coated Sheet

Qingdao Aluminum Co.,Ltd.

Delivery Terms: FOB, CFR, CIF  
OEM/ODM, Design Service Offered  
Certificate: ISO, SGS, BUV, etc


We accept the video inspection, and also welcome to visit our factory and get more.



# Aluminium/Aluminum Color Coated Sheet



Model	Color Coated Aluminium/Aluminum Sheet
Standard	GB/T3190-2008, GB/T3880-2006, ASTM B209, JIS H4000-2006, etc
Size	Thickness: 8mm Width: 10mm-1000mm Length: 2000mm, 2440mm, 6000mm, or as required.
Quality control	Mill Test Certification is supplied with shipment, Third Part Inspection is acceptable.
Surface	Polyester(PE) Coating / fluorocarbon(PVDF) Coating.
Production Process	Cold Rolled, Hot Rolled
Delivery Time	Within 3 days for our stock size, 7-15days for our production
Trade terms	Price term: Ex-Work, FOB, CNF, CFR, etc Payment Term: TT, L/C, western Union, etc
Quality of Material	Totally free from defects like white rust, roll marks, edge damage, camber, dents, holes, break lines, scratches and free from coil set.
MOQ	1 TON
Application	1) Further making utensil. 2) Solar reflective film 3) The appearance of the building 4) Interior decorating: ceilings, walls, etc. 5) Furniture cabinets 6) Elevator decoration 7) Signs, nameplate, bags making. 8) Decorated inside and outside the car 9) Household appliances: refrigerators, microwave ovens, audio equipment, etc. 10) The consumer electronics: mobile phones, digital cameras, MP3, U disk, etc.



# Aluminium/Aluminum Color Coated Sheet



Grade	Chemical composition table %										
	Si	Fe	Cu	Mn	Mg	Cr	Ni	Zn	Ti	Zr	Al
1060	0.250	0.350	0.050	0.030	0.030	—	—	0.050	0.030	—	99.60
1100	Si+Fe:0.95		0.05-0.2	0.050	—	—	—	0.100	—	—	99.00
2024	0.500	0.500	3.8-4.9	0.30-0.9	1.2-1.8	0.100	—	0.250	0.150	—	rem
3003	0.600	0.700	0.05-0.20	1.0-1.5	—	—	—	0.100	—	—	rem
3004	0.300	0.700	0.250	1.0-1.5	0.8-1.3	—	—	0.250	—	—	rem
3105	0.600	0.700	0.300	0.30-0.8	0.20-0.8	0.200	—	0.400	0.100	—	rem
4043	4.5-6.0	0.800	0.300	0.050	0.050	—	—	0.100	0.200	—	rem
4047	11.0-13.0	0.800	0.300	0.150	0.100	—	—	0.200	—	—	rem
5005	0.300	0.700	0.200	0.200	0.50-1.1	0.100	—	0.250	—	—	rem
5251	0.400	0.500	0.150	0.1-0.5	1.7-2.4	0.150	—	0.150	0.150	—	rem
5052	0.250	0.400	0.100	0.100	2.2-2.8	0.15-0.35	—	0.100	—	—	rem
5454	0.250	0.400	0.100	0.50-1.0	2.4-3.0	0.05-0.2	—	0.250	0.200	—	rem
5754	0.400	0.400	0.100	0.500	2.6-3.6	0.300	—	0.200	0.150	—	rem
5056	0.300	0.400	0.100	0.05-0.20	4.5-5.6	0.05-0.20	—	0.100	—	—	rem
6101	0.30-0.7	0.500	0.100	0.030	0.35-0.8	0.030	—	0.100	—	—	rem
6101A	0.30-0.7	0.400	0.050	—	0.40-0.9	—	—	—	—	—	rem
6063	0.20-0.6	0.350	0.100	0.100	0.45-0.9	0.100	—	0.100	0.100	—	rem
6082	0.7-1.3	0.500	0.100	0.40-1.0	0.6-1.2	0.250	—	0.200	0.100	—	rem
7075	0.400	0.500	1.2-2.0	0.300	2.1-2.9	0.18-0.28	—	5.1-6.1	0.200	—	rem

Chemical composition table

## Material Grades We Supply:

- Hot Sales: 1060, 1100, 2024, 3003, 3004, 3105, 4043, 4047, 5005, 5051, 5052, 5053, 5056, 5058, 5251, 5454, 5754, 6061, 6063, 6082, 6101, 7075
- 1000 Series: 1060, 1050, 1100, 1070
- 2000 Series: 2024, 2A12, 2017, 2014, 2A11, 2A14
- 3000 Series: 3003, 3004, 3105, 3104, 3A21, 3005, 3M03
- 5000 Series: 5052, 5083, 5182, 5754, 5A03, 5454, 5A06, 5005, 5252, 5086, 5A02, 5A05, 5052A, 5059, 5052B, 5M52, 5M49
- 6000 Series: 6061, 6063, 6082, 6005, 6101, 6060, 6005A
- 7000 Series: 7075, 7005, 7050, 7A09, 7A04

Contact us for your project!

# Aluminium/Aluminum Color Coated Sheet



## Type Options




## COLOR REFERENCE MAP

Color reference is based on lauer color card RAL. The following colors are for reference only. Due to limited space, not all of them are listed.

ral 1000 Green beige 米绿色	ral 1001 Beige 米色	ral 1002 Sand yellow 沙黄色	ral 1003 Signal yellow 信号黄	ral 1004 Golden yellow 金黄色	ral 1005 Honey yellow 蜜黄色	ral 1006 Maize yellow 玉米黄
ral 1011 Brown beige 米褐色	ral 1012 Lemmon yellow 柠檬黄	ral 1013 Oyster white 近于白色的浅灰	ral 1014 Ivory 象牙色	ral 1015 Light ivory 亮象牙色	ral 1016 Sulfur yellow 硫磺色	ral 1017 Saffron yellow 深黄色
ral 1019 Gray beige 米灰色	ral 1020 Olive yellow 橄榄黄	ral 1021 Rape yellow 油菜黄	ral 1023 Traffic yellow 交通黄	ral 1024 Ochre yellow 赭黄色	ral 1027 Curry 咖喱色	ral 1028 Melon yellow 浅橙黄
ral 1033 Dahlia yellow 大丽花黄	ral 1034 Pastel yellow 粉黄色	ral 2000 Yellow orange 黄橙色	ral 2001 Red orange 橘红	ral 2002 Vermilion 朱红	ral 2003 Pastel orange 淡橙	ral 2004 Pure orange 纯橙
ral 2009 Traffic orange 交通橙	ral 2010 Signal orange 信号橙	ral 2011 Deep orange 深橙色	ral 2012 Salmon orange 鲑鱼橙	ral 3000 Flame red 火焰红	ral 3001 Signal red 信号红	ral 3002 Carmine red 胭脂红
ral 3004 Purple red 紫红色	ral 3005 Wine red 葡萄酒红	ral 3007 Black red 黑红色	ral 3009 Oxide red 氧化红	ral 3011 Brown red 红玄武土色	ral 3012 Beige red 米红色	ral 3013 Tomato red 番茄红
ral 3015 Light Pink 淡粉红色	ral 3016 Coral red 珊瑚红色	ral 3017 Rose 玫瑰色	ral 3018 Strawberry red 草莓红	ral 3020 Traffic red 交通红	ral 3022 Salmon pink 鲑鱼粉红色	ral 3027 Raspberry red 悬钩子红色
ral 4001 Red lilac 丁香红	ral 4002 Red violet 紫红色	ral 4003 Heather violet 石南紫	ral 4004 Claret violet 酒红紫	ral 4005 Blue lilac 丁香蓝	ral 4006 Traffic purple 交通紫	ral 4007 Purple violet 紫红蓝色
ral 4009 Pastel violet 粉蓝紫色	ral 5000 Violet blue 紫蓝色	ral 5001 Green blue 蓝绿色	ral 5002 Ultramarine blue 群青蓝	ral 5003 Sapphire blue 蓝宝石蓝	ral 5004 Black blue 蓝黑色	ral 5005 Signal blue 信号蓝
ral 5008 Gray blue 灰蓝色	ral 5009 Azure blue 天青色	ral 5010 Gentian blue 龙胆蓝色	ral 5011 Steel blue 钢蓝色	ral 5012 Light blue 淡蓝色	ral 5013 Cobalt blue 钴蓝色	ral 5014 Pigeon blue 鸽蓝色
ral 5017 Traffic blue 交通蓝	ral 5018 Turquoise blue 绿松石蓝	ral 5019 Capri blue 卡布里蓝色	ral 5020 Ocean blue 海蓝色	ral 5021 Water blue 不来梅蓝色	ral 5022 Night blue 夜蓝色	ral 5023 Distant blue 冷蓝色
ral 6000 Patina green 铜锈绿色	ral 6001 Emerald green 翡翠绿色	ral 6002 Leaf green 叶绿色	ral 6003 Olive green 橄榄绿	ral 6004 Blue green 蓝绿色	ral 6005 Moss green 苔藓绿	ral 6006 Gray olive 橄榄灰绿
ral 6006 Gray olive 橄榄灰绿	ral 6009 Fir green 冷杉绿	ral 6010 Grass green 草绿色	ral 6011 Reseda green 淡橄榄绿	ral 6012 Black green 墨绿色	ral 6013 Reed green 芦苇绿	ral 6014 Yellow olive 橄榄黄
ral 6016 Turquoise green 绿松石绿色	ral 6017 May green 五月绿	ral 6018 Yellow green 黄绿色	ral 6019 Pastel green 粉蓝绿色	ral 6020 Chrome green 铬绿色	ral 6021 Pale green 浅绿色	ral 6022 Olive drab 橄榄土褐色
ral 6025 Fern green 蕨绿	ral 6026 Opal green 蛋白石绿色	ral 6027 Light green 葱绿色	ral 6028 Pine green 松绿色	ral 6029 Mint green 薄荷绿	ral 6032 Signal green 信号绿	ral 6033 Mint turquoise 薄荷蓝绿色
ral 7000 Squirrel grey 松鼠灰	ral 7001 Silver grey 银灰色	ral 7002 Light green 橄榄灰绿色	ral 7003 Moss grey 苔灰	ral 7004 Signal grey 信号灰	ral 7005 Mouse grey 鼠灰色	ral 7006 Beige grey 米灰色
ral 7021 Black grey 黑灰	ral 7022 Umbr grey 暗灰	ral 7023 Concrete grey 混凝土灰	ral 7024 Graphite grey 石墨灰	ral 7026 Granite grey 花岗岩	ral 7030 Stone grey 石灰色	ral 7031 blue grey 蓝灰色
ral 7042 Traffic grey A 交通灰A	ral 7043 Traffic grey B 交通灰B	ral 7044 Silk grey 深银灰色	ral 8000 Green brown 绿褐色	ral 8001 Ochre brown 赭石棕色	ral 8002 Signal brown 信号褐	ral 8003 Clay brown 土棕褐色
ral 8007 Fawn brown 鹿褐色	ral 8008 Olive brown 橄榄棕色	ral 8011 Nut brown 胡桃棕色	ral 8012 Red brown 红褐色	ral 8014 Sepia brown 乌贼棕色	ral 8015 Chestnut brown 栗棕色	ral 8016 Mahogany brown 桃花心木褐
ral 8019 Grey brown 灰褐色	ral 8022 Black brown 黑褐色	ral 8023 Orange brown 桔黄褐	ral 8024 Beige brown 啡叭棕色	ral 8028 Terra brown 浅灰褐色	ral 9001 Cream 彩黄色	ral 9002 Greyy white 灰白色

Contact us for your project!



# Applications





# Our Happy Clients







# Global Market



Qingdao Aluminum Co.,Ltd

Our company location



**THANK YOU!**